ATIK SÜSTAŞLARININ DEĞERLENDİRİLMESİ

Kırık taşların değerlendirilmesi






































































































Getting Wired by M.C.Gillis

More Difficult Pendants Attaching Unusual Objects

if there's no hole... and nothing soft to wrap wire around or attach to, we need to make a tight net to hold our object.





























2011-2013 nbeads.com All rights reserved



TREE OF LIFE



[이니셜 핸드폰 고리] www.bomulhouse.com 시작

이 ▶◀ 표시 에는공구로 살짝 눌러준다.

손으로 살살 굴려 꺽어준다.



◎ 화설표 부분을 시작지점으로 삼고 반으로 눌러(접어) 한쪽씩 도안을 참고하 여 이니설 모양을 잡아 준다. (와이어 1,5mm 이용)

■ 재료: 칼라 와이어(1,5mm) 1m/(1mm) 10cm, O링(대) 1개, 핸드폰 고리 1개

www-en-rhed-ando.blogspot.com

■만드는 방법 부분 설명














































◎ O링(대)를 이니셜 모티브 고리에 달아주고 핸드폰 고리를 연결해 준다. 폰고리 완성.
































How to tie a monkey's fist knot

STEP 1 Holding loose tail with your thumb, wrap the rope up and over fingers 3 times.

STEP 2 Tuck the working end outside the loops at the back of hand, pulling the end through to your palm side through gap between your fingers.

STEP 3 Wrap the working


STEP 3 Wrap the working end around the back and the palm loops 2 times.


STEP 4 On the third pass,

wrap working end around palm loops only and exit through the centre on the side with tail.

step 5 Bring the working end through hole below centre loops. Wrap up and over loops 3 times, hold in place. Exit working yarn through the centre to side with tail. step 6 Insert core, (such as marble or tennis ball) into centre of knot.

STEP 7 Adjust loops on each side of knot, tightening knot around the core.













































2011-2013 nbeads.com All rights reserved









When viewed or printed to scale, blue box above measures 5" x 2.5" (127 x 63mm)

WIRE GAUGE SIZES

There are many different thicknesses of jewelry wire, and the sizes are distinguished by a measuring system where the thickness of the wire is referred to as the 'gauge'. Ear wires, jump rings, headpins, and other items made from wire are also described by their gauges. For example, for 18 gauge jump rings, the gauge refers to the thickness of the wire used to form the jump ring, and not the diameter of the jump ring itself.

The first thing I want you to know and commit to memory is that the smaller the gauge number, the thicker the wire. As you can see, 10 gauge wire is pretty big (about 2.6mm in diameter) and 28ga wire is very very tiny (about 1/3 of a millimeter in diameter). The chart below will help you visualize this – you may want to print it off and keep it close at hand until you are comfortable with the concept of wire gauge!

Wire Gauge Conversion Chart Sizes in AWG (American Wire Gauge)

Wire Gauge	Inches	Millimeters
10	0.102	2.59
12	0.080	2.03
14	0.064	1.63
15	0.057	1.45
16	0.051	1.29
17	0.045	1.15
18	0.040	1.02
19	0.036	0.914
20	0.032	0.813
21	0.029	0.737
22	0.025	0.635
24	0.020	0.508
25	0.018	0.455
26	0.016	0.406
28	0.013	0.320
30	0.010	0.254
32	0.008	0.203

rows in white are more commonly used size wires for wirework jewelry

JewelryTutorialHQ.com































jewelrytelevision. Earring Types and Backs





http://www.magpiegemstones.com/bingo_ring_tutorial.html?url=bingo_ring_tutorial.html



https://tr.pinterest.com/pin/470766967276673880/



https://www.wirejewelry.com/pages/denny_diamond_loveknot_pendant.html?ref=79freep attern&utm_override=1

